

EXEMPLAR SOLUTIONS MATHS

Chapter 1 : Relations and Functions



Chapter 1:

Relations and Functions

Exercise 1.3

Short Answer (S.A.)

1. Let $A = \{a, b, c\}$ and the relation R be defined on A as follows:

 $R = \{(a, a), (b, c), (a, b)\}.$

Then, write minimum number of ordered pairs to be added in R to make R reflexive and transitive.

Solution:

Given relation, $R = \{(a, a), (b, c), (a, b)\}$

To make R as reflexive we should add (b, b) and (c, c) to R. Also, to make R as transitive we should add (a, c) to R.

Hence, the minimum number of ordered pairs to be added are (b, b), (c, c) and (a, c) i.e. 3.

2. Let D be the domain of the real valued function f defined by $f(x) = \sqrt{(25 - x^2)}$. Then, write D. Solution:

Given,
$$f(x) = \sqrt{(25 - x^2)}$$

The function is defined if $25 - x^2 \ge 0$

So,
$$x^2 \le 25$$

$$-5 \le x \le 5$$

Therefore, the domain of the given function is [-5, 5]

3. Let f, g: R \rightarrow R be defined by f(x) = 2x + 1 and $g(x) = x^2 - 2$, $\forall x \in \mathbb{R}$, respectively. Then, find g o f.

Solution:

Given,

$$f(x) = 2x + 1 \text{ and } g(x) = x^2 - 2, \forall x \in R$$
Thus, g o f = g (f (x))
$$= g(2x + 1)$$

$$= (2x + 1)^2 - 2$$

$$= 4x^2 + 4x + 1 - 2$$

$$= 4x^2 + 4x - 1$$

4. Let $f: R \to R$ be the function defined by f(x) = 2x - 3, $\forall x \in R$, write f^{-1} . Solution:

Given function,

$$f(x) = 2x - 3, \forall x \in R$$

Let
$$y = 2x - 3$$

$$x = (y + 3)/2$$

Thus,

$$f^{-1}(x) = (x+3)/2$$

5. If $A = \{a, b, c, d\}$ and the function $f = \{(a, b), (b, d), (c, a), (d, c)\}$, write f^{-1} .

Solution:

Given,

$$A = \{a, b, c, d\}$$
 and $f = \{(a, b), (b, d), (c, a), (d, c)\}$

So,

$$f^{-1} = \{(b, a), (d, b), (a, c), (c, d)\}$$

6. If f: $R \rightarrow R$ is defined by $f(x) = x^2 - 3x + 2$, write f(f(x)). Solution:

Given, $f(x) = x^2 - 3x + 2$

Then,

$$f(f(x)) = f(x^2 - 3x + 2)$$

$$= (x^2 - 3x + 2)^2 - 3(x^2 - 3x + 2) + 2,$$

$$= x^4 + 9x^2 + 4 - 6x^3 + 4x^2 - 12x - 3x^2 + 9x - 6 + 2$$

$$= x^4 - 6x^3 + 10x^2 - 3x$$

Thus,

$$f(f(x)) = x^4 - 6x^3 + 10x^2 - 3x$$

7. Is $g = \{(1, 1), (2, 3), (3, 5), (4, 7)\}$ a function? If g is described by $g(x) = \alpha x + \beta$, then what value should be assigned to α and β .

Solution:

Given,
$$g = \{(1, 1), (2, 3), (3, 5), (4, 7)\}$$

It's seen that every element of domain has a unique image. So, g is function.

Now, also given that $g(x) = \alpha x + \beta$

So, we have

$$g(1) = \alpha(1) + \beta = 1$$

$$\alpha + \beta = 1$$
 (i)

And,
$$g(2) = \alpha(2) + \beta = 3$$

$$2\alpha + \beta = 3$$
 (ii)

Solving (i) and (ii), we have

$$\alpha = 2$$
 and $\beta = -1$

Therefore, g(x) = 2x - 1

EEN GROUP

8. Are the following set of ordered pairs functions? If so, examine whether the mapping is injective or surjective.

- (i) $\{(x, y): x \text{ is a person, } y \text{ is the mother of } x\}.$
- (ii) $\{(a, b): a \text{ is a person, b is an ancestor of a}\}$.

Solution:

(i) Given, $\{(x, y): x \text{ is a person, } y \text{ is the mother of } x\}$

It's clearly seen that each person 'x' has only one biological mother.

Hence, the above set of ordered pairs make a function.

Now more than one person may have same mother. Thus, the function is many-many one and surjective.

(ii) Given, {(a, b): a is a person, b is an ancestor of a}

It's clearly seen that any person 'a' has more than one ancestors.

Thus, it does not represent a function.

9. If the mappings f and g are given by $f = \{(1, 2), (3, 5), (4, 1)\}$ and $g = \{(2, 3), (5, 1), (1, 3)\}$, write f o g.

Solution:

Given,

$$f = \{(1, 2), (3, 5), (4, 1)\}$$
 and $g = \{(2, 3), (5, 1), (1, 3)\}$

Now,

fog
$$(2) = f(g(2)) = f(3) = 5$$

$$fog (5) = f(g(5)) = f(1) = 2$$

$$fog (1) = f(g(1)) = f(3) = 5$$

Thus,

$$fog = \{(2, 5), (5, 2), (1, 5)\}$$

10. Let C be the set of complex numbers. Prove that the mapping $f: C \to R$ given by $f(z) = |z|, \forall z \in C$, is neither one-one nor onto.

Solution:

Given, f: C \rightarrow R such that $f(z) = |z|, \forall z \in C$

Now, let take z = 6 + 8i

Then,

f
$$(6 + 8i) = |6 + 8i| = \sqrt{(6^2 + 8^2)} = \sqrt{100} = 10$$

And, for z = 6 - 8i

$$f(6-8i) = |6-8i| = \sqrt{(6^2+8^2)} = \sqrt{100} = 10$$

Hence, f (z) is many-one.

Also, $|z| \ge 0$, $\forall z \in C$

But the co-domain given is 'R'

Therefore, f(z) is not onto.

11. Let the function $f: R \to R$ be defined by $f(x) = \cos x$, $\forall x \in R$. Show that f is neither one-one nor onto.

Solution:

tamso ma jyotirgamaya

We have,

f:
$$R \rightarrow R$$
, $f(x) = \cos x$

Now,

$$f(x_1) = f(x_2)$$

$$\cos x_1 = \cos x_2$$

$$x_1 = 2n\pi \pm x_2, n \in \mathbb{Z}$$

It's seen that the above equation has infinite solutions for x_1 and x_2

Hence, f(x) is many one function.

Also the range of $\cos x$ is [-1, 1], which is subset of given co-domain R.

Therefore, the given function is not onto.

12. Let $X = \{1, 2, 3\}$ and $Y = \{4, 5\}$. Find whether the following subsets of $X \times Y$ are functions from X to Y or not.

(i)
$$f = \{(1, 4), (1, 5), (2, 4), (3, 5)\}$$

(ii)
$$g = \{(1, 4), (2, 4), (3, 4)\}$$

(iii)
$$h = \{(1,4), (2,5), (3,5)\}$$

(iv)
$$k = \{(1,4), (2,5)\}.$$

Solution:

Given,
$$X = \{1, 2, 3\}$$
 and $Y = \{4, 5\}$

So,
$$X \times Y = \{(1, 4), (1, 5), (2, 4), (2, 5), (3, 4), (3, 5)\}$$

(i)
$$f = \{(1, 4), (1, 5), (2, 4), (3, 5)\}$$

f is not a function as f(1) = 4 and f(1) = 5

Hence, pre-image '1' has not unique image.

(ii)
$$g = \{(1, 4), (2, 4), (3, 4)\}$$

It's seen clearly that g is a function in which each element of the domain has unique image.

(iii)
$$h = \{(1,4), (2,5), (3,5)\}$$

It's seen clearly that h is a function as each pre-image with a unique image.

And, function h is many-one as h(2) = h(3) = 5

(iv)
$$k = \{(1, 4), (2, 5)\}$$

Function k is not a function as '3' has not any image under the mapping.

13. If functions f: A \rightarrow B and g: B \rightarrow A satisfy g o f = I_A, then show that f is one-one and g is onto. **Solution:**

Given,

f: A \rightarrow B and g: B \rightarrow A satisfy g o f = I_A

It's clearly seen that function 'g' is inverse of 'f'.

So, 'f' has to be one-one and onto.

Hence, 'g' is also one-one and onto.

14. Let f: R \rightarrow R be the function defined by $f(x) = 1/(2 - \cos x) \forall x \in R$. Then, find the range of f. **Solution:** tamso ma jyotirgamaya

Given,

$$f(x) = 1/(2 - \cos x) \; \forall \; x \in R$$

Let
$$y = 1/(2 - \cos x)$$

$$2y - y\cos x = 1$$

$$\cos x = (2y - 1)/y$$

$$\cos x = 2 - 1/y$$

Now, we know that $-1 \le \cos x \le 1$

$$-1 \le 2 - 1/y \le 1$$

$$-3 \le -1/y \le -1$$

```
1 \le -1/y \le 3
1/3 \le y \le 1
```

Thus, the range of the given function is [1/3, 1].

15. Let n be a fixed positive integer. Define a relation R in Z as follows: \forall a, b \in Z, aRb if and only if a - b is divisible by n. Show that R is an equivalence relation. **Solution:**

Given \forall a, b \in Z, aRb if and only if a – b is divisible by n.

Now, for

 $aRa \Rightarrow (a - a)$ is divisible by n, which is true for any integer a as '0' is divisible by n.

Thus, R is reflective.

Now, aRb

So, (a - b) is divisible by n.

 \Rightarrow - (b - a) is divisible by n.

 \Rightarrow (b – a) is divisible by n

 \Rightarrow bRa

Thus, R is symmetric.

Let aRb and bRc

Then, (a - b) is divisible by n and (b - c) is divisible by n.

So, (a - b) + (b - c) is divisible by n.

 \Rightarrow (a - c) is divisible by n.

 \Rightarrow aRc

Thus, R is transitive.

So, R is an equivalence relation.

Long Answer (L.A.)

16. If $A = \{1, 2, 3, 4\}$, define relations on A which have properties of being:

- (a) reflexive, transitive but not symmetric
- (b) symmetric but neither reflexive nor transitive
- (c) reflexive, symmetric and transitive.

Solution:

Given that, $A = \{1, 2, 3\}$.

(i) Let
$$R_1 = \{(1, 1), (1, 2), (1, 3), (2, 3), (2, 2), (1, 3), (3, 3)\}$$

 R_1 is reflexive as (1, 1), (2, 2) and (3, 3) lie is R_1 .

tırgamaya R_1 is transitive as $(1, 2) \in R_1$, $(2, 3) \in R_1 \Rightarrow (1, 3) \in R_1$

Now, $(1, 2) \in R_1 \Rightarrow (2, 1) \notin R_1$.

(ii) Let
$$R_2 = \{(1, 2), (2, 1)\}$$

Now,
$$(1, 2) \in R_2$$
, $(2, 1) \in R_2$

So, it is symmetric,

And, clearly R_2 is not reflexive as $(1, 1) \notin R_2$

Also, R_2 is not transitive as $(1, 2) \in R_2$, $(2, 1) \in R_2$ but $(1, 1) \notin R_2$

(iii) Let
$$R_3 = \{(1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2), (3, 3)\}$$

 R_3 is reflexive as (1, 1) (2, 2) and $(3, 3) \in R_1$ R_3 is symmetric as (1, 2), (1, 3), $(2, 3) \in R_1 \Rightarrow (2, 1)$, (3, 1), $(3, 2) \in R_1$ Therefore R_1 is reflexive symmetric and transitive

Therefore, R_3 is reflexive, symmetric and transitive.

17. Let R be relation defined on the set of natural number N as follows:

 $R = \{(x, y): x \in N, y \in N, 2x + y = 41\}$. Find the domain and range of the relation R. Also verify whether R is reflexive, symmetric and transitive. Solution:

Given function: $R = \{(x, y): x \in N, y \in N, 2x + y = 41\}$. So, the domain = $\{1, 2, 3,, 20\}$ [Since, $y \in N$] Finding the range, we have $R = \{(1, 39), (2, 37), (3, 35),, (19, 3), (20, 1)\}$

Thus, Range of the function = $\{1, 3, 5, \ldots, 39\}$

R is not reflexive as $(2, 2) \notin R$ as $2 \times 2 + 2 \neq 41$

Also, R is not symmetric as $(1, 39) \in R$ but $(39, 1) \notin R$

Further R is not transitive as $(11, 19) \notin R$, $(19, 3) \notin R$; but $(11, 3) \notin R$.

Thus, R is neither reflexive nor symmetric and nor transitive.

18. Given $A = \{2, 3, 4\}$, $B = \{2, 5, 6, 7\}$. Construct an example of each of the following:

- (a) an injective mapping from A to B
- (b) a mapping from A to B which is not injective
- (c) a mapping from B to A.

Solution:

Given, $A = \{2, 3, 4\}, B = \{2, 5, 6, 7\}$

(i) Let $f: A \rightarrow B$ denote a mapping

$$f = \{(x, y): y = x + 3\}$$
 or

 $f = \{(2, 5), (3, 6), (4, 7)\}$, which is an injective mapping.

- (ii) Let g: A \rightarrow B denote a mapping such that g = {(2, 2), (3, 2), (4, 5)}, which is not an injective mapping.
- (iii) Let h: B \rightarrow A denote a mapping such that h = {(2, 2), (5, 3), (6, 4), (7, 4)}, which is one of the mapping from B to A.

ma jyotirgamaya

19. Give an example of a map

- (i) which is one-one but not onto
- (ii) which is not one-one but onto
- (iii) which is neither one-one nor onto.

Solution:

(i) Let f: N \rightarrow N, be a mapping defined by f (x) = x^2

For $f(x_1) = f(x_2)$

Then,
$$x_1^2 = x_2^2$$

 $x_1 = x_2$ (Since $x_1 + x_2 = 0$ is not possible)

Further 'f' is not onto, as for $1 \in \mathbb{N}$, there does not exist any x in N such that f(x) = 2x + 1.

(ii) Let f: $R \to [0, \infty)$, be a mapping defined by f(x) = |x|

Then, it's clearly seen that f(x) is not one-one as f(2) = f(-2).

But $|x| \ge 0$, so range is $[0, \infty]$.

Therefore, f(x) is onto.

(iii) Let f: R \rightarrow R, be a mapping defined by f (x) = x^2

Then clearly f(x) is not one-one as f(1) = f(-1). Also range of f(x) is $[0, \infty)$.

Therefore, f(x) is neither one-one nor onto.

20. Let $A = R - \{3\}$, $B = R - \{1\}$. Let $f: A \to B$ be defined by $f(x) = x - 2/x - 3 \ \forall \ x \in A$. Then show that f is bijective.

Solution:

Given,

$$A = R - \{3\}, B = R - \{1\}$$

And.

 $f: A \rightarrow B$ be defined by $f(x) = x - 2/x - 3 \ \forall \ x \in A$

Hence, f(x) = (x-3+1)/(x-3) = 1 + 1/(x-3)

Let $f(x_1) = f(x_2)$

$$1 + \frac{1}{x_1 - 3} = 1 + \frac{1}{x_2 - 3}$$

$$\frac{1}{x_1 - 3} = \frac{1}{x_2 - 3}$$

$$x_1 = x_2$$

So, f(x) is an injective function.

Now let y = (x - 2)/(x - 3)

$$x - 2 = xy - 3y$$

$$x(1 - y) = 2 - 3y$$

$$x = (3y - 2)/(y - 1)$$

$$y \in R - \{1\} = B$$

Thus, f(x) is onto or subjective.

Therefore, f(x) is a bijective function.

21. Let A = [-1, 1]. Then, discuss whether the following functions defined on A are one-one, onto or bijective:

- (i) f(x) = x/2
- (ii) g(x) = |x|
- (iii) h(x) = x|x|
- $(iv) k(x) = x^2$

Solution:

Given, A = [-1, 1]

(i) f:
$$[-1, 1] \rightarrow [-1, 1]$$
, f (x) = x/2

Let $f(x_1) = f(x_2)$

```
x_1/2 = x_2
```

So, f(x) is one-one.

Also
$$x \in [-1, 1]$$

$$x/2 = f(x) = [-1/2, 1/2]$$

Hence, the range is a subset of co-domain 'A'

So, f(x) is not onto.

Therefore, f(x) is not bijective.

(ii)
$$g(x) = |x|$$

Let
$$g(x_1) = g(x_2)$$

$$|x_1| = |x_2|$$

$$\mathbf{x}_1 = \pm \mathbf{x}_2$$

So, g(x) is not one-one

Also g $(x) = |x| \ge 0$, for all real x

Hence, the range is [0, 1], which is subset of co-domain 'A'

So, f(x) is not onto.

Therefore, f(x) is not bijective.

(iii)
$$h(x) = x|x|$$

Let
$$h(x_1) = h(x_2)$$

$$x_1|x_1| = x_2|x_2|$$

If
$$x_1, x_2 > 0$$

$$x_1^2 = x_2^2$$

$$x_1^2 - x_2^2 = 0$$

$$(x_1 - x_2)(x_1 + x_2) = 0$$

$$x_1 = x_2 \text{ (as } x_1 + x_2 \neq 0)$$

Similarly for x_1 , $x_2 < 0$, we have $x_1 = x_2$

It's clearly seen that for x_1 and x_2 of opposite sign, $x_1 \neq x_2$.

Hence, f(x) is one-one.

For
$$x \in [0, 1]$$
, $f(x) = x^2 \in [0, 1]$

For
$$x < 0$$
, $f(x) = -x^2 \in [-1, 0)$

Hence, the range is [-1, 1].

So, h (x) is onto.

Therefore, h (x) is bijective.

(iv) $k(x) = x^2$

(iv)
$$k(x) = x^2$$

Let $k(x_1) = k(x_2)$ tamso majyotirgamaya

Let
$$K(x_1) = K(x_2)$$

$$x_1^2 = x_2^2$$

$$\mathbf{x}_1 = \pm \ \mathbf{x}_2$$

Therefore, k(x) is not one-one.

22. Each of the following defines a relation on N:

- (i) x is greater than $y, x, y \in N$
- (ii) $x + y = 10, x, y \in N$
- (iii) x y is square of an integer x, $y \in N$
- (iv) $x + 4y = 10 x, y \in N$.

Determine which of the above relations are reflexive, symmetric and transitive. **Solution:**

(i) Given, x is greater than y; $x, y \in N$

If $(x, x) \in R$, then x > x, which is not true for any $x \in N$.

Thus, R is not reflexive.

Let $(x, y) \in R$

 $\Rightarrow xRy$

 $\Rightarrow x > y$

So, y > x is not true for any $x, y \in N$

Hence, R is not symmetric.

Let xRy and yRz

 \Rightarrow x > y and y > z

 $\Rightarrow x > z$

 \Rightarrow xRz

Hence, R is transitive.

(ii)
$$x + y = 10$$
; $x, y \in N$

Thus,

 $R = \{(x, y); x + y = 10, x, y \in N\}$

 $R = \{(1, 9), (2, 8), (3, 7), (4, 6), (5, 5), (6, 4), (7, 3), (8, 2), (9, 1)\}$

It's clear $(1, 1) \notin R$

So, R is not reflexive.

 $(x, y) \in R \Rightarrow (y, x) \in R$

Therefore, R is symmetric.

Now $(1, 9) \in \mathbb{R}$, $(9, 1) \in \mathbb{R}$, but $(1, 1) \notin \mathbb{R}$

Therefore, R is not transitive.

(iii) Given, xy is square of an integer x, $y \in N$

 $R = \{(x, y) : xy \text{ is a square of an integer } x, y \in N\}$

It's clearly $(x, x) \in R, \forall x \in N$

As x^2 is square of an integer for any $x \in N$

Thus, R is reflexive.

If $(x, y) \in R \Rightarrow (y, x) \in R$

So, R is symmetric.

Now, if xy is square of an integer and yz is square of an integer.

Then, let $xy = m^2$ and $yz = n^2$ for some m, $n \in \mathbb{Z}$

 $x = m^2/y$ and $z = x^2/y$

 $xz = m^2n^2/y^2$, which is square of an integer.

Thus, R is transitive.

(iv)
$$x + 4y = 10$$
; $x, y \in N$

$$R = \{(x, y): x + 4y = 10; x, y \in N\}$$

 $R = \{(2, 2), (6, 1)\}$

It's clearly seen $(1, 1) \notin R$

```
Hence, R is not symmetric.
```

$$(x, y) \in R \Rightarrow x + 4y = 10$$

And
$$(y, z) \in R \Rightarrow y + 4z = 10$$

$$\Rightarrow$$
 x - 16z = -30

$$\Rightarrow$$
 (x, z) \notin R

Therefore, R is not transitive.

23. Let $A = \{1, 2, 3, \dots 9\}$ and R be the relation in $A \times A$ defined by (a, b) R (c, d) if a + d = b + c for (a, b), (c, d) in A \times A. Prove that R is an equivalence relation and also obtain the equivalent class [(2,5)].

Solution:

Given, $A = \{1, 2, 3, ... 9\}$ and (a, b) R (c, d) if <math>a + d = b + c for $(a, b), (c, d) \in A \times A$.

Let (a, b) R(a, b)

So, a + b = b + a, \forall a, $b \in A$ which is true for any $a, b \in A$.

Thus, R is reflexive.

Let (a, b) R(c, d)

Then.

$$a + d = b + c$$

$$c + b = d + a$$

Thus, R is symmetric.

Let (a, b) R(c, d) and (c, d) R(e, f)

$$a + d = b + c$$
 and $c + f = d + e$

$$a + d = b + c$$
 and $d + e = c + f$

$$(a + d) - (d + e = (b + c) - (c + f)$$

$$a - e = b - f$$

$$a + f = b + e$$

So, R is transitive.

The equivalence class $[(2, 5)] = \{(1, 4), (2, 5), (3, 6), (4, 7), (5, 8), (6, 9)\}$

Therefore, R is an equivalence relation.

24. Using the definition, prove that the function $f: A \rightarrow B$ is invertible if and only if f is both oneone and onto. tamso ma jyotirgamaya

Solution:

Let $f: A \rightarrow B$ be many-one function.

Let f(a) = p and f(b) = p

So, for inverse function we will have $f^{-1}(p) = a$ and $f^{-1}(p) = b$

Thus, in this case inverse function is not defined as we have two images 'a and b' for one pre-image 'p'. But for f to be invertible it must be one-one.

Now, let $f: A \rightarrow B$ is not onto function.

Let $B = \{p, q, r\}$ and range of f be $\{p, q\}$.

Here image 'r' has not any pre-image, which will have no image in set A.

And for f to be invertible it must be onto.

Thus, 'f' is invertible if and only if 'f' is both one-one and onto.

A function $f = X \rightarrow Y$ is invertible iff f is a bijective function.

25. Functions f, g: R \rightarrow R are defined, respectively, by $f(x) = x^2 + 3x + 1$, g(x) = 2x - 3, find (i) $f \circ g$ (ii) $g \circ f$ (iii) $f \circ f$ (iv) $g \circ g$

Solution:

Given,
$$f(x) = x^2 + 3x + 1$$
, $g(x) = 2x - 3$

(i)
$$fog = f(g(x))$$

= $f(2x - 3)$
= $(2x - 3)^2 + 3(2x - 3) + 1$
= $4x^2 + 9 - 12x + 6x - 9 + 1$
= $4x^2 - 6x + 1$

(ii) gof = g(f(x))
= g(x² + 3x + 1)
= 2(x² + 3x + 1) - 3
=
$$2x^{2} + 6x - 1$$

(iv)
$$gog = g(g(x))$$

= $g(2x - 3)$
= $2(2x - 3) - 3$
= $4x - 6 - 3$
= $4x - 9$

26. Let * be the binary operation defined on Q. Find which of the following binary operations are commutative

(i)
$$a * b = a - b \forall a, b \in Q$$

(ii)
$$a * b = a^2 + b^2 \forall a, b \in Q$$

(iii)
$$a * b = a + ab \forall a, b \in Q$$

(iv)
$$\mathbf{a} * \mathbf{b} = (\mathbf{a} - \mathbf{b})^2 \forall \mathbf{a}, \mathbf{b} \in \mathbf{Q}$$

a jyotirgamaya

Solution:

Given that * is a binary operation defined on Q.

(i)
$$a * b = a - b$$
, \forall a, $b \in Q$ and $b * a = b - a$

So,
$$a * b \neq b * a$$

Thus, * is not commutative.

(ii)
$$a * b = a^2 + b^2$$

$$b * a = b^2 + a^2$$

Thus, * is commutative.

(iii)
$$a * b = a + ab$$

$$b * a = b + ab$$

So clearly,
$$a + ab \neq b + ab$$

(iv)
$$a * b = (a - b)^2$$
, $\forall a, b \in Q$

$$b * a = (b - a)^2$$

Since,
$$(a - b)^2 = (b - a)^2$$

Thus, * is commutative.

27. Let * be binary operation defined on R by a * b = 1 + ab, \forall a, b \in R. Then the operation * is

- (i) commutative but not associative
- (ii) associative but not commutative
- (iii) neither commutative nor associative
- (iv) both commutative and associative

Solution:

(i) Given that * is a binary operation defined on R by a * b = 1 + ab, $\forall a, b \in R$

So, we have
$$a * b = ab + 1 = b * a$$

So, * is a commutative binary operation.

Now,
$$a * (b * c) = a * (1 + bc) = 1 + a (1 + bc) = 1 + a + abc$$

Also.

$$(a * b) * c = (1 + ab) * c = 1 + (1 + ab) c = 1 + c + abc$$

Thus,
$$a * (b * c) \neq (a * b) * c$$

Hence, * is not associative.

Therefore, * is commutative but not associative.

Objective Type Questions

Choose the correct answer out of the given four options in each of the Exercises from 28 to 47 (M.C.O.)

28. Let T be the set of all triangles in the Euclidean plane, and let a relation R on T be defined as aRb if a is congruent to $b \forall a, b \in T$. Then R is

- (A) reflexive but not transitive
- (B) transitive but not symmetric

(C) equivalence

(D) none of these

Solution:

(C) equivalence

Given aRb, if a is congruent to b, \forall a, b \in T.

Then, we have aRa \Rightarrow a is congruent to a; which is always true.

So, R is reflexive.

Let
$$aRb \Rightarrow a \sim b$$

so, R is symmetric. tamso ma jyotirgamaya

Let aRb and bRc

$$a \sim b$$
 and $b \sim c$

So. R is transitive.

Therefore, R is equivalence relation.

29. Consider the non-empty set consisting of children in a family and a relation R defined as aRb if a is brother of b. Then R is

- (A) symmetric but not transitive (C) neither symmetric nor transitive **Solution:**
 - (B) transitive but not symmetric
 - (D) both symmetric and transitive
- (B) transitive but not symmetric

 $aRb \Rightarrow a$ is brother of b.

This does not mean b is also a brother of a as b can be a sister of a.

Thus, R is not symmetric.

 $aRb \Rightarrow a$ is brother of b.

and bRc \Rightarrow b is brother of c.

So, a is brother of c.

Therefore, R is transitive.

- 30. The maximum number of equivalence relations on the set $A = \{1, 2, 3\}$ are
- (A) 1
- (B) 2
- (C)3
- (D) 5

Solution:

(D) 5

Given, set $A = \{1, 2, 3\}$

Now, the number of equivalence relations as follows

 $R_1 = \{(1, 1), (2, 2), (3, 3)\}$

 $R_2 = \{(1, 1), (2, 2), (3, 3), (1, 2), (2, 1)\}$

 $R_3 = \{(1, 1), (2, 2), (3, 3), (1, 3), (3, 1)\}$

 $R_4 = \{(1, 1), (2, 2), (3, 3), (2, 3), (3, 2)\}$

 $R_5 = \{(1, 2, 3) \Leftrightarrow A \times A = A^2\}$

Thus, maximum number of equivalence relation is '5'.

- 31. If a relation R on the set $\{1, 2, 3\}$ be defined by $R = \{(1, 2)\}$, then R is
- (A) reflexive
- (B) transitive
- (C) symmetric
- (D) none of these

Solution:

(D) none of these

R on the set $\{1, 2, 3\}$ be defined by $R = \{(1, 2)\}$

R on the set {1, 2, 3} be defined by R = {2, -/, Hence, its clear that R is not reflexive, transitive and symmetric.

CLICK TO DOWNLOAD NCERT EXEMPLAR SOLUTIONS

CLASS 12: MATHEMATICS (ALL CHAPTERS)





JOIN OUR WHATSAPP GROUPS

FOR FREE EDUCATIONAL RESOURCES



JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

BENEFITS OF SOE WHATSAPP GROUPS

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.
- Immediate Doubt Resolution: The group facilitates quick clarification of doubts.
 Members can seek assistance by sending messages, and experts promptly respond
 to queries. This real-time interaction fosters a supportive learning environment
 where educators and students can exchange knowledge and address concerns
 effectively.
- Access to Previous Years' Question Papers and Topper Answers: The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.

- Free and Unlimited Resources: Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.
- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.
- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.
- Interactive Learning Environment: Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.
- Access to Expert Guidance: SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.


Together, let's empower ourselves & Our Students and inspire the next generation of learners.

Best Regards,
Team
School of Educators

Join School of Educators WhatsApp Groups

You will get Pre-Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here. Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Teachers Only)



Kindergarten

Class 12 (Commerce)

Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only) Secondary Groups (IX & X)



Senior Secondary Groups (XI & XII For Teachers Only)









































Other Important Groups (For Teachers & Principal's)



Principal's Group





Teachers Jobs

IIT/NEET

Join School of Educators WhatsApp Groups


You will get Pre-Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here. Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Students Only)





Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only) Secondary Groups (IX & X)



Senior Secondary Groups (XI & XII For Students Only)













































Groups Rules & Regulations:

To maximize the benefits of these WhatsApp groups, follow these guidelines:

- 1. Share your valuable resources with the group.
- 2. Help your fellow educators by answering their queries.
- 3. Watch and engage with shared videos in the group.
- 4. Distribute WhatsApp group resources among your students.
- 5. Encourage your colleagues to join these groups.

Additional notes:

- 1. Avoid posting messages between 9 PM and 7 AM.
- 2. After sharing resources with students, consider deleting outdated data if necessary.
- 3. It's a NO Nuisance groups, single nuisance and you will be removed.
 - No introductions.
 - No greetings or wish messages.
 - No personal chats or messages.
 - No spam. Or voice calls
 - Share and seek learning resources only.

Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.

Join Premium WhatsApp Groups Ultimate Educational Resources!!

Join our premium groups and just Rs. 1000 and gain access to all our exclusive materials for the entire academic year. Whether you're a student in Class IX, X, XI, or XII, or a teacher for these grades, Artham Resources provides the ultimate tools to enhance learning. Pay now to delve into a world of premium educational content!

Click here for more details









■ Don't Miss Out! Elevate your academic journey with top-notch study materials and secure your path to top scores! Revolutionize your study routine and reach your academic goals with our comprehensive resources. Join now and set yourself up for success!

Best Wishes,

Team
School of Educators & Artham Resources

SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL



<u>Artificial Intelligence</u>



Beauty & Wellness



<u>Design Thinking &</u> Innovation



Financial Literacy



Handicrafts



Information Technology



Marketing/Commercial Application



<u>Mass Media - Being Media</u> <u>Literate</u>



Travel & Tourism



Coding



<u>Data Science (Class VIII</u> <u>only)</u>



<u>Augmented Reality /</u>
<u>Virtual Reality</u>



Digital Citizenship



<u>Life Cycle of Medicine & Vaccine</u>



Things you should know about keeping Medicines at home



What to do when Doctor is not around



Humanity & Covid-19



CENTRAL BOARD OF MICHAEL PROCESSOR

CONTRAL BOARD OF MICHAEL PROCE







Food Preservation



<u>Baking</u>



<u>Herbal Heritage</u>



<u>Khadi</u>



Mask Making



Mass Media




Making of a Graphic Novel



<u>Embroidery</u>



<u>Embroidery</u>




Rockets



Satellites



<u>Application of</u> <u>Satellites</u>



<u>Photography</u>


SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX - X)



Retail



Information Technology



Security



<u>Automotive</u>




Introduction To Financial Markets



Introduction To Tourism



Beauty & Wellness



<u>Agricultur</u>e



Food Production



Front Office Operations



Banking & Insurance



Marketing & Sales



Health Care



<u>Apparel</u>



Multi Media



Multi Skill Foundation **Course**



Artificial Intelligence



Physical Activity Trainer



Data Science



Electronics & Hardware (NEW)



Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)



Design Thinking & Innovation (NEW)

SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI - XII)



Retail



<u>InformationTechnology</u>



Web Application



Automotive



Financial Markets Management



Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking




Marketing






Insurance



Horticulture




Typography & Comp. **Application**



Geospatial Technology



Electronic Technology



Multi-Media



Taxation



Cost Accounting



Office Procedures & Practices



Shorthand (English)



Shorthand (Hindi)



<u>Air-Conditioning &</u> <u>Refrigeration</u>




Medical Diagnostics



Textile Design




<u>Design</u>



<u>Salesmanship</u>



<u>Business</u> Administration



Food Nutrition & Dietetics




Mass Media Studies




<u>Library & Information</u> <u>Science</u>



Fashion Studies



Applied Mathematics



<u>Yoga</u>



<u>Early Childhood Care &</u> <u>Education</u>



<u>Artificial Intelligence</u>



Data Science



Physical Activity
Trainer(new)



Land Transportation
Associate (NEW)



Electronics & Hardware (NEW)



<u>Design Thinking &</u> <u>Innovation (NEW)</u>

